

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	2	"7143297".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:01
L9	1	(US-7143297-\$).did.	USPAT	OR	ON	2009/11/04 14:17
L10	1	"7143297".pn. and (serial with number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:17
L11	1	"7143297".pn. and (serial with stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:29
L12	1	"7143297".pn. and ("serial key" with stor \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:30
L13	2	"7143297".pn. and ("serial key" with (send \$3 or sent or transmitt \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:30
L14	0	"20020031222".pn. and (encrypt\$3 with public with protective)	US-PGPUB	OR	ON	2009/11/04 14:32
L15	1	"20020031222".pn. and ("serial key" with (send \$3 or sent or transmitt \$3))	US-PGPUB	OR	ON	2009/11/04 14:33
L16	1	"20020031222".pn. and ("serial key" with (send \$3 or sent or transmitt \$3 or stor\$3))	US-PGPUB	OR	ON	2009/11/04 14:34

L17	2	"7143297".pn. and ("serial key" with (send \$3 or sent or transmitt \$3 or stor\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:34
L18	620	(serial with number with stor\$3 with list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:36
L19	1	(serial with number with stor\$3 with list with remotely)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:36
L20	54	(serial with number with stor\$3 with list with server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:37
S1	1781	(pin or password or key or "pass word" or "pass phrase" or passphrase or identif\$7 or (authorization near5 code)) near5 (stor\$3) near5 (usb or "universal system bus" or (memory near5 external))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:28
S2	123	S1 and (license)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 14:29
S3	35912	(pin or password or key or "pass word" or "pass phrase" or passphrase or identif\$7 or (authorization near5 code)) near5 (recover \$3 or restor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:22

S4	12704	(key) near5 (recover\$3 or restor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:22
S5	362	((key) near5 (recover\$3 or restor\$3)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:23
S6	7	((key) near5 (recover\$3 or restor\$3)).ti. and license	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:23
S7	952	S4 and license	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:24
S8	135	S7 and (key near5 stor\$3 near5 external)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:25
S9	71	S8 not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:26
S10	757	S4 and (key near5 lost)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:39
S11	302	S7 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:40

S12	49	S9 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 16:45
S13	12704	(key) near5 (recover\$3 or restor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 10:22
S14	952	S13 and license	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 10:22
S15	757	S13 and (key near5 lost)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 10:22
S16	302	S14 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 10:22
S17	169	("key vault" or "key escrow" or "key recovery").ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 11:14
S18	1	("key vault").ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 12:13
S19	2	(key) near5 (recreat\$3) near5 authoriz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 12:15

S20	49	(key) near5 (recreat\$3 or restor\$3) near5 authoriz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 12:18
S21	67	(key or pin or code) near5 (recreat\$3 or restor\$3) near5 authoriz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 12:21
S22	8	("20030028786"   "20030074569"   "20040210821"   "20040243610").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 12:23
S23	0	(attach\$3 or append\$3) near5 (certificate) near5 device near5 id near5 manufactur\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 12:56
S24	1	"license id" same reissue same license	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 14:35
S25	6	license near5 (creat\$3 near (time or date)) near5 stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 14:37
S26	8331	705/50-79.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 17:14
S27	35912	(pin or password or key or "pass word" or "pass phrase" or passphrase or identif\$7 or (authorization near5 code)) near5 (recover\$3 or restor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 17:15

S28	733	S26 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 17:15
S29	8	((authorization or access) near5 code) or key) with lost with dongle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 13:18
S30	8459	((authorization or access) near5 code) or key) with lost	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 13:24
S31	349	((authorization or access) near5 code) or key) with lost with replac\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 13:24
S32	8	S31 and ("hardware key" or "prevention key" or dongle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 13:25
S33	20429	((authorization or access) near5 code) or key) with replac\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 13:29
S34	353	S33 and ("hardware key" or "prevention key" or dongle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 13:29
S35	2	"20050152596".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 13:49

S36	5	restor\$3 with lost adj key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 13:50
S37	44	restor\$3 with key with judg\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 13:56
S38	327	(restor\$3 or recreat\$3) with key with backup	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:00
S39	85	S38 and dongle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:00
S40	88	S38 and (dongle or "coded hardware device" or "hardware key" or "prevention key")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:01
S41	523	(restor\$3 or recreat\$3) with (key or code) with backup	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:03
S42	98	S41 and (dongle or "coded hardware device" or "hardware key" or "prevention key")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:03
S43	10	S42 not S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:03

S44	875	(restor\$3 or retriev\$3 or request\$3) with (key or code) with backup	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:06
S45	3	S44 and ((key or code) with dongle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:06
S46	683	(retriev\$3 or request\$3) with (key or code) with restor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:08
S47	7	S46 and ((key or code) with dongle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:08
S48	2	"6581044".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:40
S49	172	receiv\$3 with licens\$3 with parameters	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:46
S50	13093	generat\$3 with (code or key or token) with parameters	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:47
S51	25	S49 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:47



S52	10	compar\$3 with id with device with server with licens\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 14:53
S53	10	("5940504" "20020194010" "20020091645" "20020138441" "6510502").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 13:20
S54	308	(stor\$3 with (access or authorization) with code with remotely)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 13:26
S55	0	(stor\$3 with (access or authorization) with code with remotely with backup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 13:26
S56	0	(stor\$3 with (access or authorization) with code with remotely with (backup or back-up))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 13:27
S57	6340	(stor\$3 with (key or access or authorization) with (backup or back-up))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 13:27
S58	1227	(stor\$3 with (key or (access adj code) or (authorization adj code)) with (backup or back-up))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 13:28
S59	95	(stor\$3 with (key or (access adj code) or (authorization adj code)) with (backup or back-up)) same request \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 13:28

S60	2	S58 and (key adj recovery adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 13:30
S61	99	(key adj recovery adj system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 13:31
S62	2	"6266421".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 13:36
S63	24	S61 and (lost with key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 13:38
S64	3	("7143297" "20020031222").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 14:19
S65	4	format with specific with dongle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 14:38
S66	2	format with (recognized or read or interpreted) with only with dongle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 14:39
S67	4	format with (recogniz\$4 or read\$4 or interpret \$4) with (dongle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 14:40

S68	8	format with (recogniz\$4 or read\$4 or interpret\$4 or specific\$4 or unique) with (dongle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 14:44
S69	87	(form or format) with (recogniz\$4 or read\$4 or interpret\$4 or specific\$4 or unique) with (dongle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 14:45
S70	21	encrypt\$3 with key with dongle with public	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 15:46
S71	497	encrypt\$3 with key with (smartcard or "smart card" or dongle) with public	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 15:51
S72	424	encrypt\$3 with "public key" with (smartcard or "smart card" or dongle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 15:52
S73	424	encrypt\$3 with "public key" with (smartcard or "smart card" or dongle) with (authorization or access or key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 15:52
S74	53	encrypt\$3 with "public key" with (smartcard or "smart card" or dongle) with (authorization or access)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 15:53
S75	8	hash with license with parameters	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 16:43

S76	8	recover\$3 near3 license near3 lost	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 16:45
S77	52	("4999806" "5442541" "5638513" "5790664" "5925127" "5956505" "6009401" "6078909" "6219652" "6223226" "6272636" "7035918" "20010034846" "20010034846" "20030028786" "20040039916" "20040158709" "20040249763" "20060265337" "20070107067" "6101606" "6049789" "5940504" "20020194010" "20020091645" "20020138441" "6510502").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 16:52
S78	0	recover\$3 near3 license near3 proof	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 16:58
S79	16	recover\$3 with license with (lost or destroyed or erased)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 16:59
S80	8	S79 not S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 16:59
S81	2	"6226618".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 10:01
S82	1	(US-20040143741-\$). did.	US-PGPUB	OR	ON	2009/11/04 11:46

S83	1	(US-20040143741-\$). did. and (encrypt\$3 near5 public near5 card)	US-PGPUB	OR	ON	2009/11/04 11:46
S84	0	(US-20040143741-\$). did. and (decrypt\$3 near5 private near5 card)	US-PGPUB	OR	ON	2009/11/04 11:50
S85	0	(US-20040143741-\$). did. and (decrypt\$3 near5 private)	US-PGPUB	OR	ON	2009/11/04 11:50
S86	0	(US-20040143741-\$). did. and (decrypt\$3 with private)	US-PGPUB	OR	ON	2009/11/04 11:50
S87	12	(decrypt\$3 with private with dongle)	US-PGPUB	OR	ON	2009/11/04 11:51
S88	0	"4634807".pn.	US-PGPUB	OR	ON	2009/11/04 11:53
S89	2	"4634807".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 11:53
S90	0	"4634807".pn. and (des with key with (sent or send\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 11:55
S91	0	"4634807".pn. and (des with key with (transmitt \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 11:55
S92	150	(decrypt\$3 with private with (smartcard or "smart card" or smart- card))	US-PGPUB	OR	ON	2009/11/04 11:58
S93	150	(decrypt\$3 with private with (smartcard or "smart card" or smart- card))	US-PGPUB	OR	ON	2009/11/04 11:58
S94	0	"20020031222".pn. and (encrypt\$3 with public with protective)	US-PGPUB	OR	ON	2009/11/04 12:03
S95	0	"20020031222".pn. and (decrypt\$3 with private with protective)	US-PGPUB	OR	ON	2009/11/04 12:03

S96	0	"20020031222".pn. and (decrypt\$3 with private)	US-PGPUB	OR	ON	2009/11/04 12:03
S97	1	"20020031222".pn. and (decod\$3 with private with protective)	US-PGPUB	OR	ON	2009/11/04 12:04

**11/ 4/ 2009 3:29:34 PM****C:\ Documents and Settings\ jcoppola\ My Documents\ 1\_EXAM\ Applications Examined\ 10  
\ 10584788\ 10584788.wsp**